JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 30

AUTHOR INDEX

		No.	Page
1.	ACCORDI, BRUNO, A new genus of Lower Triassic holostean fish from the Dolomite Alps	2	345
	ALF, RAYMOND, see HOUGH, JEAN (48)		
2.	ANDREWS, HENRY N., JR., Pars 28–29, Fossilium Catalogus II. by W. Jongmans & F. M. Wonnacott (Review of)	2	406
	ARTUSY, J. C., see ARTUSY, R. L. (3)		
3.	ARTUSY, R. L., and ARTUSY, J. C., The use of food coloring as a new technique for staining microfossils	4	969
4.	BARNARD, TOM, An unusual wormtube from the lower Lias	5	1273
5.	BAYER, FREDERICK M., The Trachypsammiacea, Permian Octocorallia	6	1375
6.	BLACK, CRAIG C., and WOOD, ALBERT E., Variation and Tooth-replacement in a Miocene mylagaulid rodent	3	672
	BLACKMON, PAUL, see TODD, RUTH (119)		
7.	BOLIN, EDWARD J., Upper Cretaceous Foraminifera, Ostracoda, and Radiolaria from Minnesota	2	278
	BOLTON, THOMAS E., see SINCLAIR, G. WINSTON (94)		
8.	BOUCOT, A. J., and GILL, EDMUND D., *Australocoelia*, a new Lower Devonian brachiopod from South Africa, South America, and Australia	5	1173
9.	BRADLEY, JOHN S., A teratoid *Parafusulina*	2	303
	BROOKLEY, ARTHUR C., JR., see SWEET, WALTER C. (108)		
10.	BROOKS, H. K., and CASTER, KENNETH E., *Pseudoarctolepis sharpi*, n. gen., n. sp. (Phyllocaridia), from the Wheeler shale (Middle Cambrian) of Utah	1	9
11.	CAMPBELL, K. S. W., Some Carboniferous productid brachiopods; New South Wales	3	463
12.	CASTER, KENNETH E., and KJELLESVIG-WAERING, ERIK N., Some notes on the genus *Dolichopterus* Hall	1	19
13.	CASTER, KENNETH E., and EATON, THEODORE H., JR., Microstructure of the plates in the carpoid echinoderm *Paranacystis*	3	611
	CASTER, KENNETH E., see BROOKS, H. K. (10)		
14.	CHILINGAR, GEORGE V., About dynamics of septal development in tetracorals during ontogeny, by K. G. Voynovskiy-Kriger (Review of)	2	406
15.	CHOQUETTE, GEORGE B., A new Devonian Charophyte	6	1371
16.	COBBAN, W. A., ROHRER, W. L., and ERDMANN, C. E., Discovery of the Carlile (Turonian) ammonite *Collignoniceras woollgari* in northwestern Montana	5	1269
17.	COLLINSON, CHARLES W., The Mississippian nautiloid genus *Tylodiscoceras* in Kentucky and Tennessee	6	1367
18.	COOPER, G. ARTHUR, A new upper Canadian fauna from a deep well in Tennessee	1	29
19.	COOPER, G. ARTHUR, New Pennsylvanian brachiopods	3	521
20.	COOPER, G. ARTHUR, *Pustulata*, new name for the Devonian brachiopod *Pustulina*, preoccupied	3	769
21.	CORNWALL, IRA E., Identifying fossil and Recent barnacles by the figures in the shell	3	646
22.	COX, L. R., Jurassic Mollusca from Peru	5	1179
23.	CRANE, MARILYN JOYCE, and KELLY, WILLIAM A., A new occurrence of Mississippian Ostracoda in Michigan	4	869
24.	DAVID, LORE ROSE, Tertiary anacanthin fishes from California and the Pacific Northwest; their paleoecological significance	3	568
25.	DELAND, CHARLES R., and SHAW, ALAN B., Upper Cambrian trilobites; western Wyoming	3	542
26.	DE LAUBENFELS, M. W., Dinosaur extinction: one more hypothesis	1	207
27.	DE SYLVA, DONALD P., A *Thunnus* from the Eocene deposits of the Caucasus, by P. G. Danil'-chenko (Review of)	6	1379
28.	DORR, JOHN A., JR., Anceney local mammal fauna, latest Miocene, Madison Valley formation, Montana	1	62
29.	DOWNS, THEODORE, A new pinniped from the Miocene of southern California: with remarks on the Otariidae	1	115
	EATON, THEODORE H. JR., see CASTER, KENNETH E. (13)		
30.	ECHOLS, DOROTHY JUNG, and GOUTY, JOHN J., Fern Glen (Mississippian) Ostracoda	6	1315
31.	ELIAS, MAXIM K., A revision of *Fenestella subantiqua* and related Silurian fenestellids	2	314

		No.	Page
32.	EMERSON, WILLIAM K., Upwelling and associated marine life along Pacific Baja California, Mexico	2	393
	ERDMANN, C. E., see COBBAN, W. A. (16)		
33.	FLOWER, ROUSSEAU H., Cephalopods from the Canadian of Maryland	1	75
34.	FLOWER, ROUSSEAU H., Some endoceroids from the El Paso limestone	1	97
35.	FLOWER, ROUSSEAU H., Some paradoxes in taxonomy with reference to the Protista	3	700
36.	FRANKEL, LARRY, Value of mollusks in the zonation of the "Peorian" loess of Nebraska	5	1158
37.	FRY, WAYNE L., New cordaitean cones from the Pennsylvanian of Iowa	1	35
	FURNISH, W. M., see GLENISTER, BRIAN F. (41)		
	FURNISH, W. M., see MILLER, A. K. (66)		
	FURNISH, W. M., see MILLER, A. K. (67)		
38.	GALLITELLI, EUGENIA MONTANARO, *Khmeria* and *Trachypsammia* from the Permian of Sosio, Sicily	4	876
39.	GALLOWAY, J. J., and ST. JEAN, J., JR., A bibliography of the order Stromatoporoidea	1	170
40.	GAZIN, C. LEWIS, The occurrence of Paleocene mammalian remains in the Fossil Basin of southwestern Wyoming	3	707
	GILL, EDMUND D., see BOUCOT, A. J. (8)		
41.	GLENISTER, BRIAN F., MILLER, A. K., and FURNISH, W. M., Upper Cretaceous and early tertiary nautiloids from Western Australia	3	492
	GOUTY, JOHN J., see ECHOLS, DOROTHY JUNG (30)		
42.	GREEN, MORTON, The lower Pliocene Ogallala—Wolf Creek vertebrate fauna, South Dakota	1	146
43.	GREGORY, JOSEPH T., Paläontologie und phylogenie der niederen tetrapoden, by Fredrich R. Freiherr von Huene (Review of)	6	1377
44.	HARRINGTON, HORACIO J., Olenellidae with advanced cephalic spines	1	56
45.	HARRIS, R. W., and MCNULTY, C. L., JR., Notes concerning a Senonian valvulinerian	4	865
46.	HIBBARD, CLAUDE W., *Microtus pennsylvanicus* (ORD) from the Hay Springs local fauna of Nebraska	5	1263
47.	HOFKER, J., Tertiary Foraminifera of coastal Ecuador: Part II, additional notes on the Eocene species	4	891
48.	HOUGH, JEAN, and ALF, RAYMOND, A Chadron mammalian fauna from Nebraska	1	132
49.	HOUGH, JEAN, A new insectivore from the Oligocene of the Wind River Basin, Wyoming, with notes on the taxonomy of the Oligocene Tenrecoidea	3	531
50.	HUDSON, R. G. S., Tethyan Jurassic hydroids of the family Milleporidiidae	3	714
51.	IMLAY, RALPH W., Stratigraphic and geographic range of the early Cretaceous ammonite *Homolsomites*	5	1143
52.	IMLAY, RALPH W., Jurassic geology of the world, by W. J. Arkell (Review of)	6	1376
53.	IRELAND, H. A., Upper Pennsylvanian arenaceous Foraminifera from Kansas	4	831
54.	JOHNSON, J. HARLAN, *Archaeolithophyllum*, a new genus of Paleozoic coralline algae	1	53
55.	JOHNSON, J. HARLAN, Ancestry of the coralline algae	3	563
56.	KARPECK, JOHN J., Devonian of the Russian Platform, collection of reports (Review of)	4	981
	KELLY, WILLIAM A., see CRANE, MARILYN JOYCE (23)		
57.	KIER, PORTER M., Separation of interambulacral columns from the apical system in the Echinoidea	4	971
58.	KING, PHILIP B., Atlas of paleogeographic maps of North America, by Charles Schuchert (Review of)	4	986
	KJELLESVIG-WAERING, ERIK N., see CASTER, KENNETH E. (12)		
59.	KNIGHT, RAYMOND L., Permian fusulines from Nevada	4	773
	KOENIG, JOHN W., see STRIMPLE, HARREL L. (106)		
	KOPF, RUDOLF W., see YOCHELSON, ELLIS L. (142)		
60.	LEHMANN, E. P., A technique of stereophotomicrography for illustrations in micropaleontology	3	757
	LEUTZE, WILLARD P., see SWEET, WALTER C. (110)		
61.	LOCHMAN, CHRISTINA, The evolution of some Upper Cambrian and Lower Ordovician trilobite families	3	445
	LOKKE, D. H., see THOMPSON, M. L. (117)		
	LOKKE, D. H., see VERVILLE, G. J. (124)		
62.	MAC DONALD, J. R., A new Clarendonian mammalian fauna from the Truckee formation of western Nevada	1	186
63.	MAC DONALD, J. R., A Blancan mammalian fauna from Wichman, Nevada	1	213
64.	MAC DONALD, J. R., The North American anthracotheres	3	615
	MC NULTY, C. L., JR., see HARRIS, R. W. (45)		
65.	MELVILLE, R. V., Classification of clypeasteroid echinoids, by J. Wyatt Durham (Review of)	4	983
66.	MILLER, A. K., and FURNISH, W. M., An *Aturia* from eastern Cuba	5	1154

		No.	Page
67.	MILLER, A. K., and FURNISH, W. M., An *Aturoidea* from Austria	5	1155
	MILLER, A. K., see GLENISTER, BRIAN F. (41)		
	MILLER, A. K., see SWEET, WALTER C. (109)		
68.	MILLER, HALSEY W., JR., The index value of Silurian Foraminifera and some new forms from wells in Kansas	6	1350
69.	MÜLLER, KLAUS J., Triassic conodonts from Nevada	4	818
70.	MÜLLER, KLAUS J., Taxonomy, nomenclature, orientation, and stratigraphic evaluation of conodonts	6	1324
71.	MÜLLER, KLAUS J., Einführung in die mikropaläontologie, by Horst Werner Matthes (Review of)	6	1379
	MÜLLER, KLAUS J., see RHODES, F. H. T. (85)		
72.	NEWELL, NORMAN D., Der grossablauf der stammesgeschichtlichen entwicklung, by Arno Hermann Müller (Review of)	5	1275
73.	NOREM, W. L., An improved method for separating fossil spores and pollen from siliceous rocks	5	1258
74.	OLIVER, WILLIAM A., *Tornoceras* from the Devonian Onondaga limestone of New York	2	402
75.	OMARA, S., New Foraminifera from the Cenomanian of Sinai, Egypt	4	883
76.	PACKARD, EARL L., An *Engonoceras* from central Oregon	2	398
77.	PALMER, ALLISON R., The type species of *Litocephalus* Resser, 1937, (Trilobita)	3	608
78.	PAMENTER, CHARLES B., *Imitoceras* from the Exshaw formation of Alberta	4	965
79.	PEABODY, F. E., Ichnites from the Triassic Moenkopi formation of Arizona and Utah	3	731
80.	PIERCE, RICHARD L., Upper Miocene Foraminifera and fish from the Los Angeles area, California	6	1288
81.	PURI, HARBANS S., Two new Tertiary ostracode genera from Florida	2	274
82.	RAINWATER, E. H., Geology of Jackson County, Florida, by Wayne E. Moore (Review of)	4	989
83.	RASETTI, FRANCO, Revision of the Trilobite genus *Marywillia* Walcott	5	1266
84.	RAUP, D. M., *Dendraster*: a problem in echinoid taxonomy	3	685
85.	RHODES, F. H. T., and MÜLLER, KLAUS J., Conodont genus *Prioniodus* and related forms	3	695
	ROHRER, W. L., see COBBAN, W. A. (16)		
86.	RUSSELL, LORIS S., Nonmarine Mollusca from the North Park formation of Saratoga Valley, Wyoming	5	1260
87.	SCHOEWE, WALTER H., Geographic locations and stratigraphic horizon of Pennsylvanian fossil footprints discovered in Osage County, Kansas by B. F. Mudge in 1873	2	389
88.	SCOTT, HAROLD W., *Swartzochilina*, new genus of isochilinid ostracode	6	1374
89.	SHAW, ALAN B., *Acrocephalites? glomeratus* Walcott, 1916	1	46
90.	SHAW, ALAN B., A Cambrian *Aphelaspis* fauna from Steele Butte, near Boulder, Wyoming	1	48
91.	SHAW, ALAN B., Notes on *Modocia* and Middle Cambrian trilobites from Wyoming	1	141
92.	SHAW, ALAN B., Quantitative trilobite studies I: the statistical description of trilobites	5	1209
	SHAW ALAN B., see DELAND, CHARLES R. (25)		
93.	SILBERLING, N. J., "*Trachyceras* zone" in the Upper Triassic of the western United States	5	1147
94.	SINCLAIR, G. WINSTON, and BOLTON, THOMAS E., Notes on halysitid corals	1	203
95.	SINCLAIR, G. WINSTON, Notes on some Ordovician sponges and their names	3	760
96.	SMITH, MARVIN L., Some ostracods from the Middle Devonian Ledyard and Wanakah members of the Ludlowville formation in western New York	1	1
97.	SOHN, I. G., The transformation of opaque calcium carbonate to translucent calcium fluoride in fossil Ostracoda	1	113
	ST. JEAN, J., JR., see GALLOWAY, J. J. (39)		
98.	STARRETT, ANDREW, Pleistocene mammals of the Berends fauna of Oklahoma	5	1187
99.	STEARN, COLIN W., A new echinoid from the Upper Devonian of Alberta	3	741
100.	STEHLI, FRANCIS G., *Dielasma* and its external homeomorph *Beecheria*	2	299
101.	STEHLI, FRANCIS G., Notes on oldhaminid brachiopods	2	305
102.	STEPHENSON, LLOYD WILLIAM, A new bivalve genus and species from the Ripley formation of Mississippi	3	752
103.	STEVENSON, ROBERT E., Observations on the morphology of *Astrodapsis*	2	338
104.	STEWART, GRACE ANNE, and SWEET, WALTER C., Conodonts from the Middle Devonian bone beds of central and west-central Ohio	2	261
105.	STOVER, LEWIS E., Ostracoda from the Windom shale (Hamilton) of western New York	5	1092
106.	STRIMPLE, HARREL L., and KOENIG, JOHN W., Mississippian microcrinoids from Oklahoma and New Mexico	5	1225

		No.	Page
107.	SWARTZ, FRANK M., and WHITMORE, FRANK C., JR., Ostracoda of the Silurian Decker and Manlius limestones in New Jersey and eastern New York	5	1029
108.	SWEET, WALTER C., and BROOKLEY, ARTHUR C., JR., An *Endolobus* from the Beaver Bend limestone (Chester) of Indiana	1	101
109.	SWEET, WALTER C., and MILLER, A. K., Goniatites from the Middle Devonian Columbus limestone of Ohio	4	811
110.	SWEET, WALTER C., and LEUTZE, WILLARD P., A restudy of the Silurian nautiloid genus *Pristeroceras* Ruedemann	5	1159
	SWEET, WALTER C., see STEWART, GRACE ANNE (104)		
111.	TASCH, PAUL, Three general principles for a system of classification of fossil conchostracans	5	1248
112.	TEICHERT, CURT, How many fossil species?	4	967
113.	TEICHERT, CURT, Stratigraphical paleontology, by E. Neaverson (Review of)	4	984
114.	TEMPLE, J. T., Phacopid ontogenies	5	1199
115.	THALMANN, HANS E., Bibliography and index to new genera, species, and varieties of Foraminifera for the year 1954	2	352
116.	THOMPSON, M. L., and ZELLER, DORIS NADINE, *Profusulinella* in western Utah	2	333
117.	THOMPSON, M. L., VERVILLE, G. J., and LOKKE, D. H., Fusulinids of the Desmoinesian-Missourian contact	4	793
	THOMPSON, M. L., see VERVILLE, G. J. (124)		
118.	TISCHLER, HERBERT, A new Mississippian tetracoral from Death Valley, California	1	110
119.	TODD, RUTH, and BLACKMON, PAUL, Calcite and aragonite in Foraminifera	1	217
120.	TOOMEY, DONALD F., Addendum to a bibliography of the family Fusulinidae	6	1360
121.	TSUDA, KARYU, Faunas and facies of some middle Miocene deposits in Japan	4	974
122.	TWINING, JOHN T., Occurrence of *Spinaptychus* in Texas	6	1370
123.	UNKLESBAY, A. G., and YOUNG, ROBERT S., Early Ordovician nautiloids from Virginia	3	481
124.	VERVILLE, G. J., THOMPSON, M. L., and LOKKE, D. H., Pennsylvanian fusulinids of eastern Nevada	6	1277
	VERVILLE, G. J., see THOMPSON, M. L. (117)		
125.	VOKES, H. E., Notes on the Nucinellidae (Pelecypoda) with description of a new species from the Eocene of Oregon	3	652
126.	VOKES, H. E., Notes on, and rectifications of, pelecypod nomenclature	3	762
127.	VOKES, H. E., Some pelecypod illustrations of the effect of the Copenhagen decision defining the limits of generic homonymy	3	765
128.	WAITE, R. H., Upper Silurian Brachiopoda from the Great Basin	1	15
129.	WEISS, MALCOLM P., Designation of type of *Plectorthis plicatella minnesotensis* Weiss, 1955	1	219
130.	WELLS, JOHN W., *Receptaculites* in the Upper Devonian of New York	3	747
131.	WELLS, JOHN W., The ammonoids *Koenenites* and *Beloceras* in the Upper Devonian of New York	3	749
132.	WHITE, WILLIAM R., Pliocene and Miocene Foraminifera from the Capistrano formation, Orange County, California	2	237
	WHITMORE, FRANK C., JR., see SWARTZ, FRANK M. (107)		
133.	WHITTINGTON, HARRY B., Beecher's supposed odontopleurid protaspis is a phacopid	1	104
134.	WHITTINGTON, HARRY B., Type and other species of Odontopleuridae (Trilobita)	3	504
135.	WHITTINGTON, HARRY B., Photographing small fossils	3	756
136.	WHITTINGTON, HARRY B., The trilobite family Isocolidae	5	1193
137.	WHITTINGTON, HARRY B., Beecher's lichid protaspis and *Acanthopyge consanguinea* (Trilobita)	5	1200
138.	WILIMOVSKY, NORMAN J., *Protoscaphirhynchus squamosus*, a new sturgeon from the Upper Cretaceous of Montana	5	1205
139.	WILSON, JAMES LEE, Stratigraphic position of the Upper Devonian branchiopod *Rhabdostichus* in the Williston Basin	4	959
140.	WILSON, JAMES LEE, Revisions in nomenclature and new species of Cambro-Ordovician trilobites from the Marathon Uplift, West Texas	6	1341
	WOOD, ALBERT E., see BLACK, CRAIG C. (6)		
141.	WOODRING, W. P., *Agasoma sinuatum* from the Miocene of Cuyama Valley, California	3	712
142.	YOCHELSON, ELLIS L., and KOPF, RUDOLF W., a new Devonian spinose platyceratid gastropod	5	1170
143.	YOUNG, ROBERT S., Lower Canadian brachiopods from Virginia	5	1165
	YOUNG, ROBERT S., see UNKLESBAY, A. G. (123)		

No.	Page
5	1029
1	101
4	811
5	1159
5	1248
4	967
4	984
5	1199
2	352
2	333
4	793
1	110
1	217
6	1360
4	974
6	1370
3	481
6	1277
3	652
3	762
3	765
1	15
1	219
3	747
3	749
2	237
1	104
3	504
3	756
5	1193
5	1200
5	1205
4	959
6	1341
3	712
5	1170
5	1165

SUBJECT INDEX

Acanthopyge consanguinea: lichid protaspis (137).
Acrocephalites? glomeratus: Cambrian, Wyoming (89).
Agasoma sinuatum: Miocene, California (141).
Alberta: cephalopod, Devonian (78); new echinoid, Devonian (99).
algae: coralline ancestry (55); Paleozoic (54).
ammonoids: *Koenenites* and *Beloceras*, Devonian, New York (131); *Collignoniceras woollgari*, Cretaceous, Montana (16); *Homolsomites*, Cretaceous (51).
Anthracotheres: Miocene, Oligocene, North American (64).
Aphelaspis: Cambrian, Wyoming (90).
aragonite: Foraminifera (119).
Archaeolithophyllum: new algae, Paleozoic (54).
Arizona: Ichnites, Triassic (79).
Astrodapsis: morphology (103).
Aturia: Oligocene, Cuba (66).
Aturoidea: Eocene, Austria (67).
Australia: nautiloids, Cretaceous and Tertiary (41); new brachiopod, Devonian (8).
Australocoelia: Devonian, South Africa, South America, and Australia (8).
Austria: *Aturoidea*, Eocene (67).
Baja California: marine life (32).
barnacles: fossil and Recent (21).
Beecheria: homeomorph of *Dielasma* (100).
Beloceras: Devonian, New York (131).
bibliography: Foraminifera, 1954 (115); Fusulinidae, addendum (120); Stromatoporoidea (39).
Blancan: mammals, Nevada (63).
brachiopod· new Devonian, South Africa, South America, and Australia (8); new Pennsylvanian (19); oldhaminid (101); Ordovician, Tennessee (18); Ordovician, Virginia (143); Paleozoic (100); *Plectorthis plicatella minnesotensis*, type (129); productids, Carboniferous, New South Wales (11); *Pustulata*, new name, Devonian (20); Silurian, Great Basin (128).
branchiopod: *Rhabdostichus*, Devonian, Montana (139).
Brazil: echinoderm, Devonian (13).
bryazoans: Silurian (31).
calcite: Foraminifera (119).
calcium carbonate: transformation to calcium fluoride in Ostracoda (97).
calcium fluoride: from calcium carbonate in Ostracoda (97).
California: fish, Tertiary (24); Foraminifera and fish, Miocene (80); Foraminifera, Pliocene and Miocene (132); gastropod, Miocene (141); mammals, Miocene (29); tetracoral, Mississippian (118).
Cambrian: Phyllocaridia, Utha (10); trilobite evolution (61); trilobites, Wyoming (25, 89, 90, 91).
Cambro-Ordovician: trilobite revisions, Texas (140)
Canada: Alberta cephalopod, Devonian (78); new Charophyte, Devonian (15).
Carboniferous: productid brachiopods, New South Wales (11).
Causasus: fish, Eocene (27).
Cenomanian: Foraminifera, Egypt (75).
cephalic spines: Olenellids (44).
Cephalopods: *Aturia*, Cuba (66); *Aturoidea*, Eocene, Austria (67); endoceroids, Ordovician, Texas (34); *Endolobus*, Mississippian, Indiana (108); *Engonoceras*, Cretaceous, Oregon (76); goniatites, Devonian, Ohio (109); *Imitoceras*, Devonian, Alberta (78); *Koenenites* and *Beloceras*, Devonian, New York (131); nautiloids, Ordovician, Virginia (123); nautiloids, Cretaceous and Tertiary, Australia (41); Ordovician, Maryland (33); *Pristeroceras*, Silurian (110); *Spinaptychus*, Cretaceous, Texas (122); *Tornoceras*, Devonian, New York (74); Triassic, western United States (93).
Charophyte: Devonian, Canada (15).
Clarendonian: mammals, Nevada (62).
classification: conchostracans (111).
Collignoniceras woollgari: ammonite, Cretaceous, Montana (16).
conchostracans: classification (111).
conodonts: Devonian, Ohio (104); general discussion of (70); *Prioniodus* and related forms (85); Triassic, Nevada (69).
corals: halysitid (94); Mississippian, California (118); Permian, Sicily (38); septal development (14); Trachypsammiacea, Permian (5).
Cordaitean cones: Pennsylvanian, Iowa (37).
Cretaceous: ammonite (51); ammonite, Montana (16); cephalopod, Oregon (76); cephalopod, Texas (122); fish, Montana (138); Foraminifera, Egypt (75); Foraminifera, Ostracoda, and Radiolaria, Minnesota (7); nautiloids, Australia (41); new pelecypod, Mississippi (102); valvulinerian, Gulf Coast (45).
Cuba: *Aturia*, Oligocene (66).

Desmoinesian-Missourian contact: fusulinids (117).
Dendraster: echinoid Taxonomy (84).
Devonian: ammonoids, New York (131); branchiopod, Montana (139); cephalopod, Alberta (78); cephalopod, New York (74); cephalopods, Ohio (109); conodonts, Ohio (104); echinoderm, Brazil (13); gastropod, Ontario (142); new brachiopod name (20); new brachiopod, South Africa, South America, and Australia (8); new charophyte, Canada (15); new echinoid, Alberta (99); ostracodes, New York (96, 105); *Receptaculites*, New York (130); Russian Platform (56).
Dielasma: homeomorph *Beecheria* (100).
dinosaur: extinction (26).
Dolichopterus: Silurian, eurypterid (12).
echinoderm: *Paranacystis*, Devonian, Brazil (13).
echinoid: *Astrodapsis*, morphology (103); clypeasteroid, classification (65); *Dendraster*, taxonomy (84); Devonian, Alberta (99).
Echinoidea: interambulacrals and apical system (57).
Ecuador: Foraminifera, Tertiary (47).
Egypt: Foraminifera, Cretaceous (75).
Endolobus: Mississippian, Indiana (108).
England: worm tube, Lias (4).
Engonoceras: Cretaceous, Oregon (76).
Eocene: *Aturoidea*, Austria (67); fish, Caucasus (27); new Pelecypoda, Oregon (125).
eurypterid: *Dolichopterus*, Silurian (12).
evolution: phyletic (72); trilobites, Cambrian and Ordovician (61).
facies: Miocene, Japan (121).
faunas: Miocene, Japan (121).
Fenestella subantiqua: Silurian fenestellid (31).
Fish: anacanthin, Tertiary, California (24); holostean, Triassic, Italy (1); Miocene, California (80); sturgeon, Cretaceous, Montana (138); *Thunnus*, Eocene, Caucasus (27).
Florida: geology of Jackson County (82); new ostracodes, Tertiary (81).
footprints: Pennsylvanian, Kansas (87).
Foraminifera: 1954 bibliography (115); Cretaceous, Egypt (75); Cretaceous, Minnesota (7); mineralogy (119); Miocene, California (80); Pennsylvanian, Kansas (53); Pliocene and Miocene, California (132); Silurian, Kansas (68); Tertiary, Ecuador (47).
Fossilium catalogus: review of (2).
fusulines: Permian, Nevada (59).
Fusulinidae: bibliography addendum (120).
fusulinids: Desmoinesian-Missourian contact (117); Pennsylvanian, Nevada (124); *Profusulinella*, Pennsylvanian, Utah (116).
gastropod: *Agasoma sinuatum*, Miocene, California (141); platyceratid, Devonian, Ontario (142).
geology: Jackson County, Florida (82).
goniatites: Devonian, Ohio (109).
Great Basin: Brachiopoda, Silurian (128).
Gulf Coast: valvulinerian, Cretaceous (45).
Homolsomites: ammonite, Cretaceous (51).
homonymy: generic, pelecypod (127).
hydroids: Jurassic, Tethyan (50).
Ichnites: Triassic, Arizona and Utah (79).
Imitoceras: Devonian, Alberta (78).
index fossils: Silurian, Foraminifera, Kansas (68).
Indiana: cephalopod, Mississippian (108).
insectivore: Oligocene, Wyoming (49).
interambulacral columns: echinoids (57).
Iowa: cordaitean cones, Pennsylvanian (37).
Isocolidae: trilobite family (136).
Italy: fish, Triassic (1).
Japan: fauna and facies, Miocene (121).
Jurassic; geology of World (52); hydroids, Tethyan (50); Mollusca, Peru (22).
Kansas: footprints, Pennsylvanian (87); Foraminifera, Pennsylvanian (53); Foraminifera, Silurian (68).
Kentucky: nautiloid, Mississippian, (17).
Khmeria: Permian, Sicily (38).
Koenenites: Devonian, New York (131).
Lias: worm tube, England (4).
Litocephalus: trilobite, type species (77).
mammals: anthracotheres, Miocene and Oligocene, North America (64); Blancan, Nevada (63); Miocene, California (29); Miocene, Montana (28); Oligocene, Nebraska (48); Oligocene, Wyoming (49); Paleocene, Wyoming (40); Pleistocene, Nebraska (46); Pleistocene, Oklahoma (98); Pliocene, Nevada (62); Pliocene, South Dakota (42).
marine life: Baja California (32).
Maryland: cephalopods, Ordovician (33).

Maryvillia: revision of (83).
Michigan: Ostracoda, Mississippian (23).
microcrinoids: Mississippian, Oklahoma and New Mexico (106).
microfossils: staining (3).
micropaleontology: stereophotomicrography (60); text-book (71).
Microtus pennsylvanicus: mammal, Pleistocene, Nebraska (46).
Milleporidiidae: Jurassic, Tethyan (50).
Minnesota: Foraminifera, Ostracoda, and Radiolaria, Cretaceous (7).
Miocene: anthracotheres, North America (64).
Miocene: faunas and facies, Japan (121); Foraminifera and fish, California (80); Foraminifera, California (132); gastropod, California (141); Miocene, mammals, California (29); mammals, Montana (28); mylagaulid rodent (6); nonmarine Mollusca, Wyoming (86).
Mississippian: cephalopod, Indiana (108); microcrinoids, Oklahoma and New Mexico (106); nautiloid, Kentucky and Tennessee (17); new pelecypod, Cretaceous (102); Ostracoda, Fern Glen (30); Ostracoda, Michigan (23); tetracorals, California (118).
Modocia: Cambrian, Wyoming (91).
Mollusca: Jurassic, Peru (22); nonmarine, Miocene, Wyoming (86).
mollusks: Pleistocene zonation, Nebraska (36).
Montana: ammonite, Cretaceous (16); branchiopod, Devonian (139); fish, Cretaceous (138); mammals, Miocene (28).
morphology: echinoid (103).
nautiloids: Cretaceous and Tertiary, Australia (41); Ordovician, Virginia (123); *Pristeroceras*, Silurian (110); *Tylodiscoceras*, Mississippian, Kentucky and Tennessee (17).
Nebraska: mammal, Oligocene (48); mammals, Pleistocene (46); mollusk zonation in Pleistocene (36).
New Jersey: Ostracoda, Silurian (107).
New Mexico: microcrinoids, Mississippian (106).
New South Wales: productid brachiopods, Carboniferous (11).
New York: ammonoids, Devonian (131); cephalopod, Devonian (74); ostracodes, Devonian (96); Ostracoda, Devonian (105); Ostracoda, Silurian (107); *Receptaculites*, Devonian (130).
nomenclature: pelecypod (126).
North America: anthracotheres, Miocene and Oligocene (64); paleogeographic maps (58).
Nucinellidae: Eocene, Oregon (125).
Nevada: conodonts, Triassic (69); fusulinids, Pennsylvanian (124); fusulines, Permian (59); mammals, Blancan (63); mammals, Pliocene (62).
Odontopleuridae: type (134).
Oregon: cephalopod, Cretaceous (76).
Ohio: cephalopods, Devonian (109); conodonts, Devonian (104).
Oklahoma: mammals, Pleistocene (98); microcrinoids, Mississippian (106).
Oligocene: anthracotheres, North America (64); *Aturia*, Cuba (66) insectivore, Wyoming (49); mammal, Nebraska (48).
Ollenellidae: cephalic spines (44).
Ontario: gastropod, Devonian (142).
ontogeny: phacopid (114); septal development in tetracorals (14).
Ordovician: brachiopods, Tennessee (18); brachiopods, Virginia (143); cephalopods, Maryland (33); cephalopods, Texas (34); cephalopods, Virginia (123); sponges (95); trilobite, evolution (61).
Oregon: New Pelecypoda, Eocene (125).
Ostracoda: Cretaceous, Minnesota (7); Devonian, New York (96); Devonian, New York (105); mineralogy (97); Mississippian, Fern Glen (30); Mississippian, Michigan (23); new Tertiary, Florida (81); Silurian, New Jersey and New York (107); *Swartzochilina* new genus (88).
Otariidae: Miocene, California (29).
Paleocene: mammals, Wyoming (40).
paleoecology: Tertiary fish (24).
paleogeograpnic maps: North America (58).
paleontology: stratigraphical (113).
Paleozoic: coralline algae (54).
Parafusulina: Permian, Texas (9).
Paranacystis: echinoderm, Devonian, Brazil (13).
pelecypod: Cretaceous, Mississippi (102); generic homonymy (127); nomenclature (126); new Nucinellidae, Eocene, Oregon (125).
Pennsylvanian: cordaitean cones, Iowa (37); footprints, Kansas (87); Foraminifera, Kansas (53); fusulinid, Utah (116); fusulinids, Nevada (124); new brachiopods (19).
Permian: corals, Sicily (38); fusulines, Nevada (59); *Parafusulina*, Texas (9); Trachypsammiacea, coral (5).
Peru: Mollusca, Jurassic (22).
phacopid: odontopleurid protaspis (133); ontogenies (114).
photographing: small fossils (135).
Phyllocaridia: Cambrian, Utah (10).
Phylogeny: tetrapods (43).
pinniped: mammal, Miocene, California (29).

platyceratid: spinose, Devonian, Ontario (142).
Plectorthis plicatella minnesotensis: designation of type (129).
Pleistocene: mammals, Nebraska (46); mammals, Oklahoma (98); mollusk zonation, Nebraska (36).
Pliocene: Foraminifera, California (132); mammals, Nevada (62); mammals, South Dakota (42).
pollen: techniques (73).
Prioniodus: conodont genus (85).
Pristeroceras: restudy, Silurian (110).
Profusulinella: Pennsylvanian, Utah (116).
protaspis: odontopleurid (133).
Protista: discussion (35).
Protoscaphirhynchus squamosus: sturgeon, Cretaceous, Montana (138).
Pseudoarctolepis sharpi: phyllocaridia, Cambrian, Utah (10).
Pustulata: new Devonian brachiopod name (20).
quantitative studies: trilobites (92).
Radiolaria: Cretaceous, Minnesota (7).
Recent: barnacle identification (21).
Receptaculites: Devonian, New York (130).
Rhabdostichus: Devonian, Montana (139).
rodent: Miocene, mylagaulid (6).
Russia: Devonian Platform (56).
septal development: tetracorals (14).
Sicily: corals, Permian (38).
Silurian: Brachiopoda, Great Basin (128); cephalopod (110); eurypterid *Dolichopterus* (12); fenestellids (31); Foraminifera, Kansas (68); Ostracoda, New Jersey and New York (107).
South Africa: new brachiopod, Devonian (8).
South America: new brachiopod, Devonian (8).
South Dakota: mammals, Pliocene (42).
species: how many fossil (112).
Spinaptychus: Cretaceous, Texas (122).
sponges: Ordovician (95).
spores: techniques (73).
Stereophotomicrography: micropaleontology technique (60).
Stromatoporoidea: bibliography (39).
Swartzochilina: new ostracode (88).
Taxonomy: conodonts (70); echinoid (84); Prostista paradoxes (35); Tenrecoidea (49).
techniques: spores and pollen (73); staining microfossils (3); stereophotomicrography (60).
Tennessee: brachiopods, Ordovician (18); nautiloid, Mississippian (17).
Tenrecoidea: taxonomy (49).
teratoid foram: *Parafusulina*, Permian, Texas (9).
Tertiary: fish, California (24); Foraminifera, Ecuador (47); nautiloids, Australia (41); new ostracode, Florida (81).
Tethyan: hydroids, Jurassic (50).
tetracoral: Mississippian, California (118).
tetrapods: phylogeny (43).
Texas: cephalopod, Cretaceous (122); cephalopods, Ordovician (34); *Parafusulina*, Permian (9); trilobite revision, Cambro-Ordovician (140).
Thunnus: fish, Eocene, Caucasus (27).
tooth replacement: rodent, Miocene (6).
Tornoceras: Devonian, New York (74).
Trachyceras: Triassic, western United States (93).
Trachypsammia: Permian, Sicily (38).
Trachypsammiacea: Permian coral (5).
Triassic: cephalopod, Western United States (93); conodonts, Nevada (69); fish, New York (1) Ichnites, Arizona and Utah (79).
Trilobita: lichid protaspis and *Acanthopyge consanguinea* (137); Odontopleuridae type (134); *Acrocephalites? glomeratus*, Cambrian, Wyoming (89); *Aphelaspis*, Cambrian, Wyoming (90); Cambrian and Ordovician, evolution (61); Cambrian, Wyoming (25); Isocolidae (136); *Litocephalus*, type (77); *Maryvillia*, revision (83); *Modocia*, Cambrian, Wyoming (91); odontopleurid protaspis is phacopid (133); olenellids (44); quantitative studies (92); revisions, Cambro-Ordovician, Texas (140).
Tylodiscoceras: nautiloid, Mississippian, Kentucky and Tennessee (17).
type species: *Litocephalus* (77).
Utah: fusulinid, Pennsylvanian (106); Ichnites, Triassic (79); Phyllocaridia, Cambrian (10).
valvulinerian: Cretaceous, Gulf Coast (45).
vertebrate: mammals, Pliocene, South Dakota (42); phylogeny of tetrapods (43).
Virginia: brachiopods, Ordovician (143); cephalopods, Ordovician (123).
Western United States: trilobite, Triassic (93).
worm tube: Lias, England (4).
Wyoming: insectivore, Oligocene (49); mammals, Paleocene (40); non-marine Mollusca, Miocene (86); trilobites, Cambrian (25, 89, 90, 91).